

CANADA

2023 Dodge Hornet

SPECIFICATIONS

Specifications are based on the latest product information available at the time of publication.

All dimensions are in millimetres (inches) unless otherwise noted.

All dimensions measured at curb weight with standard tires and wheels.

LAYOUT

	GT	R/T PHEV
Number of seats	5	5
Drive type	AWD	AWD
Chassis	Unibody	Unibody

INTERNAL COMBUSTION ENGINE FEATURES

	Hurricane4 2.0-litre, 4-cylinder Turbo	1.3-litre, 4-cylinder Turbo PHEV
Fuel type	Gasoline	Gasoline Plug-in Hybrid
Cylinder capacity [cm3]	1995	1332
Cylinder capacity	2.0-litre (1,995 cu. cm)	1.3-litre (1,332 cu. cm)
Emission standard	EPA and CARB	EPA and CARB
Horsepower	268 (premium fuel)	288 Net Combined
Torque	295 lb.-ft. (400 Nm)	383 lb-ft Total Installed Front 199 lb-ft (ICE) Rear 184 lb-ft (e-Motor)

TRANSMISSIONS

	GT	R/T PHEV
Type	9-speed Auto	6-speed Auto

ELECTRIC MOTORS

	GT	R/T PHEV
E-motor position	N/A	P1, P4
E-motor horsepower	N/A	P1 BSG – 44hp, P4 Rear - 121hp (90kW)

BATTERY

	GT	R/T PHEV
Capacity	N/A	15.5 kWh
Chemistry	N/A	Lithium-ion, nickel manganese cobalt graphite
Battery cooling	N/A	Refrigerant Gas
Total voltage [V]	N/A	306
Cell configuration (Series Parallel)	N/A	84S 1P
Battery weight	N/A	125 kg (276 lbs.)
Fuel economy	N/A	N/A
Combined cycle [g/mi]	N/A	N/A
City/Hwy/Comb	N/A	N/A

PERFORMANCE

	GT	R/T PHEV
Stop/Start	Yes	Yes
Top Speed (km/h)	225	206
0 – 97 km/h (60 mph)	6.5	6.1

DIMENSIONS – MM (IN.)

	GT	R/T PHEV
Length (L103)	4528 (178)	4528 (178)
Height	1620 (63.8)	1601 (63)
Width with mirrors	2082 (82)	2082 (82)
Wheelbase	2636 (103.8)	2636 (103.8)

Trunk volume – litres (cu.-ft.)	765 (27)	650 (22.9)
Trunk volume rear seats folded – litres (cu.-ft.)	1550 (54.7)	1430 (50.5)
Ground clearance	203 (8)	156 (6.1)
Front overhang	951 (37.4)	951 (37.4)
Rear overhang	941 (37)	941 (37)
Fuel tank capacity – litres (gallons)	51 (13.5)	42 (11.2)

WEIGHT

	GT	R/T PHEV
Curb – kg (lb.)	1600 (3715)	1875 (4140)
Payload – kg (lb.)	565 (1245)	542 (1195)
Towing capacity – kg (lb.)	907 (2000)	907 (2000)

BRAKES

	GT	R/T PHEV
Front	305 (12.08)	Brembo calipers standard
Rear	278 (10.94)	Brembo calipers standard
Brembo calipers	front: 345 (13.53) rear: 305 (12.08)	front: 345 (13.53) rear: 305 (12.08)

SUSPENSIONS

	GT	R/T PHEV
Front	MacPherson strut (FSD damping)	MacPherson strut (FSD damping)
Rear	Chapman strut (FSD damping)	Chapman strut (FSD damping)

STEERING

	GT	R/T PHEV
Power	Electric	Electric
Ratio	13.6: 1	14.5 : 1
Turn lock to lock	2.28	2.5

Turning circle – m (ft.)	11.57 (37.95)	11.54 (37.86)
--------------------------	---------------	---------------

#