

Contact: General Media Inquiries  
Todd Goyer

## All-New 2015 Jeep® Renegade Loaded with up to 70 Available Advanced Safety and Security

### Features

- All-new 2015 Jeep® Renegade offers advanced safety features, including:
  - Forward Collision Warning-Plus deploys brakes to alert the driver about impact risk, and assist with driver response
  - LaneSense Departure Warning-Plus leverages electronic power steering (EPS) to deliver a torque-input to alert and assist the driver with corrective action
- Up to seven standard air bags, including seat-mounted side pelvic-thorax air bags and full-length side-curtain air bags
- 9-1-1 Assist Call featuring mirror-mounted buttons for emergency services, roadside assistance, Uconnect Customer Care and non-collision related emergencies (in selected markets)

March 4, 2014, Auburn Hills, Mich. - Safety and security were at the forefront in the development of the all-new 2015 Jeep® Renegade. With up to 70 available safety and security features, including the availability of Forward Collision Warning-Plus and LaneSense Departure Warning-Plus.

In addition, engineers added both active and passive safety and security features, including Blind-spot Monitoring, Rear Cross Path detection, ParkView rear backup camera with dynamic grid lines, electronic stability control (ESC) with electronic roll mitigation and seven standard air bags.

Standard and available safety and security features on the all-new 2015 Jeep Renegade include:

1. **9-1-1 call/Assist Call:** Mirror-mounted buttons for emergency services, roadside assistance, Uconnect Customer Care and non-collision related emergencies
2. **Active turn signals:** Turn signal flashes three times when stalk is depressed for one second to indicate a lane change
3. **Advanced multistage air bags:** Inflates with a force appropriate to the severity of the impact. Meets FMVSS 208 advanced air bag requirements for smaller, out-of-position occupants
4. **All-row full-length side-curtain air bags:** Extend protection to all outboard front- and rear-seat passengers. Each side air bag has its own impact sensor that autonomously triggers the air bag on the side where an impact occurs. This type of air bag is housed in the headliner just above side windows
5. **All-speed traction control system:** Part of the standard anti-lock brake system (ABS), helps keep driving wheels from spinning during acceleration from a stop or during all speeds by applying individual brakes alone or in combination with engine torque limitation to prevent wheel slip
6. **Anti-lock brake system (ABS):** Senses and prevents wheel lockup, offering improved steering control under extreme braking and/or slippery conditions
7. **Anti-lock brake system with rough-road detection:** Anti-lock brake system is capable of detecting if the vehicle is driving on a rough road by the oscillations in the wheel speed signals. Rough road is detected on off-road surfaces or trails, and ABS enters a different pressure control where it will hold the brake pressure for longer pulses
8. **Auto-dimming rearview mirror:** Auto-dimming mirror automatically reduces glare from bright light

allowing the driver to have a clearer view of the road ahead

9. **Automatic defog:** Enables the Renegade's automatic temperature control (ATC) system to measure humidity inside the vehicle and provide a fog-free windshield automatically without driver intervention
10. **Automatic headlamps:** Headlamps turn on and off automatically depending on exterior light levels and when the windshield wipers are turned on or off
11. **Automatic high-beam headlamps:** Headlamp system adjusts to ambient light and oncoming traffic to deliver maximum lighting
12. **Auto-reverse My Sky panels:** When equipped with the power-sliding My Sky roof, the system automatically reverses when it senses an obstruction during closing
13. **Auto-reverse windows:** The window automatically reverses when it senses an obstruction during closing
14. **BeltAlert:** Activates a chime and/or illuminates an icon in the instrument cluster to remind the driver and front passenger to buckle up if a vehicle is driven without belted front-seat occupants
15. **Blind-spot Monitoring (BSM):** Uses dual ultra-wideband radar sensors to aid the driver when changing lanes or if being passed by or passing unseen vehicles. The system notifies the driver of vehicle(s) in their blind spot via illuminated icons on the side-view mirror and with a driver-selected audible chime
16. **Brake assist:** In an emergency brake situation, the system applies maximum braking power, minimizing the stopping distance
17. **Brake-lock differential system (BLDS):** Allows the vehicle to maintain forward motion if one or two wheels lose traction by selectively and aggressively applying brakes to the spinning wheels
18. **Brake-throttle override:** Allows driver to stop the vehicle when throttle and brake inputs occur simultaneously; electronic throttle control reduces engine-power output until vehicle stops or pedal inputs cease
19. **Brake/park interlock:** Prevents the transmission from being shifted out of "Park" unless the brake pedal is pushed
20. **Brake traction-control system (BTCS):** Helps to keep driving wheels from spinning during acceleration from a stop or during slow speeds by applying individual brakes to the slipping wheel(s)
21. **Capless fuel-filler door:** Provides fuel-filling simplicity and eliminates contact with any fuel spillage
22. **Child-protection rear door locks:** Disables the rear doors' inside-release handle by adjusting a small lever on the door-shut face
23. **Constant-force retractors (CFR):** Regulates the force exerted on the occupant by the seat belt and then gradually releases seat-belt webbing in a controlled manner
24. **Daytime running lamps (DRL):** Lights that illuminate during daytime conditions, increasing the vehicle's visibility to other drivers
25. **Driver's side knee air bag:** Located below the instrument panel, the knee air bag deploys when the driver air bag deploys and is designed to properly position the occupant during impact and offer additional lower leg protection
26. **Dual-note electric horns:** Produces two different tones at the same time, similar to better cut through ambient noise better
27. **Enhanced Accident Response System (EARS):** Makes it easier for emergency personnel to see and reach occupants in the event of an accident by turning on the interior lighting, flashing the hazard lights and unlocking the doors on the Renegade after air bag deployment. Also shuts off flow of fuel to the engine
28. **Electric parking brake (EPB):** Utilizes parking brake switch mounted in the center console, a motor on caliper (MOC) at each rear wheel and an electronic control module. Four modes of operation: static apply and release, dynamic apply, drive away release and safe hold
29. **Electronic brake-force distribution:** Assists the driver to optimize stopping distances and control under all vehicle loading conditions by regulating braking pressure front-to-rear
30. **Electronic locking fuel filler door:** Prevents theft or tampering of the gas cap which can lead to inefficiency and unwanted release of fuel vapors (outside North America)
31. **Electronic roll mitigation (ERM):** An extension of electronic stability control (ESC). Uses input from ESC sensors to anticipate if the vehicle is at risk of entering a potential roll situation, then applies the brakes individually and modulates the throttle position as needed
32. **Electronic stability control (ESC):** Enhances driver control and helps maintain directional stability under all conditions. Provides the benefit in critical driving situations such as turns, and is valuable when driving

on mixed surface conditions including snow, ice or gravel. If there is a discernible difference between driver input through the steering wheel and the vehicle's path, ESC applies selective braking and throttle input to guide the vehicle back on to the driver's intended path

33. **Electronic Vehicle Information Center (EVIC):** Provides the driver with trip, temperature, tire-pressure monitoring and other vehicle information within the Renegade's instrument cluster
34. **Energy-absorbing steering column:** The manual-adjust steering column utilizes two hydroformed coaxial tubes that can move relative to each other to allow the column to move forward for enhanced energy absorption during a crash. The power-adjust steering column employs a calibrated bending element that deforms during column stroke for optimal energy management
35. **Energy management system:** Three front load paths designed from high-strength steel manage vehicle crush and minimize cabin intrusion
36. **Express up/down windows:** One-touch powered express up/down window button located on the front driver and passenger-side door
37. **Forward Collision Warning-Plus:** Utilizes radar and video sensors to detect whether the Renegade is approaching another vehicle or large obstacle in its path too rapidly and warn or assist the driver in avoiding/mitigating the incident
38. **Front and rear crumple zones:** Specially formed structural members that crumple and absorb energy in a collision, helping protect the occupant cabin
39. **Front seat-belt adaptive/active load limiters:** Designed to optimize the chest loading in an impact event
40. **Front seat-belt pretensioners:** During a collision, impact sensors initiate front seat-belt pretensioners to remove slack in the seat belt system, thereby reducing the forward movement of the occupant's head and torso
41. **Front-seat mounted side pelvic thorax bags:** Provide enhanced protection to the driver and front outboard passenger in certain impacts. Each side air bag has its own impact sensor that autonomously triggers the air bag on the side where an impact occurs. Standard side air bags are housed within the outboard side of each front seat
42. **Front wiper blades deicer:** Prevents wiper blades from freezing to the front windshield, and improves cold-weather wipe ability
43. **Global position sensor (GPS):** Used for navigation guidance and electronic vehicle tracking
44. **Height-adjustable seat belts (front-row):** Outboard seat belts feature height adjustment, allowing for the seat belt to be placed in the optimal position for any driver
45. **Hill-start Assist (HSA):** Assists drivers when starting a vehicle from a stop on a hill by maintaining the level of brake pressure applied for a short period of time after a driver's foot is removed from the brake pedal. If throttle is not applied within a short period of time after the driver's foot is removed from the brake pedal, brake pressure will be released
46. **Hill-descent Control:** This feature allows Renegade to descend steep grades with minimal driver input
47. **ISOFIX:** Designed to ease installation of compatible aftermarket child seats
48. **Keyless Enter-N-Go:** When an individual enters the vehicle, electronic sensors detect if the vehicle key fob is present. The vehicle will then allow the individual to push a button to start the vehicle without having to insert the key into the ignition
49. **LaneSense Departure Warning-Plus:** Plus leverages electronic power steering (EPS) to deliver a torque-input to alert and assist the driver with corrective action
50. **Mopar Electronic Vehicle Tracking System (EVTS):** State-of-the-art GPS-enabled stolen vehicle recovery system. EVTS includes nationwide tracking including 24/7 emergency service dispatch, security fence, arrival/departure notification, excessive speed notification and trace maps of past locations (in selected markets)
51. **Occupant Restraint Controller:** Detects an impact and determines whether a crash is severe enough to trigger air bag deployment and whether the primary or secondary stage inflation is sufficient. In addition, the controller detects side impacts and determines whether the rail-curtain and side seat-mounted (thorax protection) air bags should deploy. Engagement of front seat-belt pretensioners are also managed through the controller
52. **ParkSense rear park assist system:** The system utilizes ultrasonic sensors at low speeds in reverse to detect stationary objects. If it is determined that a collision is imminent the system will provide a momentary, autonomous brake apply/brake jerk then release. At speeds below 7 kph the system will

bring the vehicle to a stop before releasing

53. **ParkView rear backup camera:** Provides a wide-angle view of the area immediately behind the vehicle, giving the driver greater peace of mind before reversing at low speeds. Contains dynamic grid lines to aid the driver when maneuvering into parking spaces or narrow areas. Also aids in lining up a trailer to the vehicle's trailer hitch, when so equipped. The image is displayed on the navigation screen when the transmission is shifted into Reverse
54. **Rain-sensing wipers:** A driver convenience feature that automatically senses moisture on the windshield and activates wipers (outside North America)
55. **Ready Alert Braking (RAB):** Anticipates situations when the driver may initiate an emergency brake stop and uses the ESC pump to set brake pads against rotors in order to decrease the time required for full brake application
56. **Rear Cross Path (RCP) detection:** In parking lot situations, this system warns drivers backing out of parking spaces of traffic moving toward their vehicle. It activates any time the vehicle is in Reverse. The driver is notified of vehicle(s) crossing behind the vehicle via illuminated icons on the side-view mirror and with a driver-selected audible chime
57. **Remote keyless entry:** Locks and unlocks doors and turns on interior lamps. If the vehicle is equipped with a security alarm, the remote also arms and disarms that system
58. **Remote start:** Conveniently starts the engine and activates key comfort settings based on ambient conditions by using the key fob while maintaining vehicle security (in selected markets)
59. **Safety cage body structure:** Protects occupants by managing and controlling energy in the event of an impact
60. **Security alarm:** Deters vandalism and theft, frequently lowering insurance premiums. System protects the vehicle from theft by monitoring door-ajar switches and the ignition circuit for unauthorized entry
61. **Sentry Key engine immobilizer:** Utilizes an engine key that has an embedded transponder with a preprogrammed security code to discourage vehicle theft. When the key is inserted into the ignition, the controller sends a random number to the transponder and the engine is allowed to start. If an incorrect key is used, the engine will shut off after a few seconds
62. **Side guard door beams:** Reinforcement beams inside the doors that increase occupant protection in a side collision
63. **SiriusXM Travel Link:** Real-time traffic updates, local fuel prices, weather conditions, sports scores and movie locations and times all featured in this subscription-based system provided by SiriusXM Radio (in selected markets)
64. **Supplemental turn signals:** Signal lamp built into the housing of exterior mirrors allows turn signals to be viewed from the front, as well as the sides and rear of the vehicle in order to alert oncoming traffic and pedestrians
65. **TFT instrument cluster display:** Offers drivers a wide range of customization options, from a basic analog read-out to a full digital display that clearly communicates vehicle information with easy-to-understand icons
66. **Three-point seat belts:** Front outboard seating positions and all rear seating positions have lap and shoulder belts
67. **Tilt-and-telescoping steering column:** Allows steering column to tilt and move toward or away from the driver to achieve a safe and comfortable distance from the advanced multi-stage front driver air bag, if deployed
68. **Tire-pressure monitoring (TPM) system – Lock-on Sync:** Informs driver when tire pressure is too low. Pressure-sensor modules within the valve stems of all four road- wheels send continuous radio-frequency signals to a receiver and the system. Tire-pressure monitoring system self-learns tire position after rotation or tire is moved to a new location
69. **Trailer-sway control (TSC):** Reduces trailer sway and improves handling in adverse towing conditions caused by crosswinds and traffic. The system monitors the vehicle's movement relative to the driver's intended path, then applies alternating brake pressure to slow the vehicle and then increases the pressure on one front wheel in order to counteract the sway induced by the trailer
70. **Uconnect Voice Command:** An in-vehicle, voice-activated communication system that allows drivers to operate a Bluetooth compatible phone with their hands on the wheel and eyes on the road. When the Bluetooth phone is initially connected, the contact list is automatically downloaded, synchronizing as many as 1,000 phone book entries, which can then be selected by simply saying a contact name. It also

allows drivers to switch radio modes, tune to AM/FM and SiriusXM Radio stations and request real-time information (such as fuel prices) from SiriusXM Travel Link using natural voice commands. The handsfree option promotes safety, freedom, value and flexibility (functionality may vary by country)

-###-

Additional information and news from Stellantis are available at: <https://media.stellantisnorthamerica.com>